

DOORS

P60 DOOR

The purpose of this door is to get the same class as the bulkhead class where it has to be mounted, obtaining an A-60 class room or bulkhead.

The door is made up of a stainless steel or painted steel frame, the leaf and the corresponding closing and supporting devices: stainless steel handle and lock, hinges provided with self-closing device or door closer.

In addition, this new model is available with an optional built-in hose pass-through and/or a porthole.


As for the rest of the products, the available colors and finishes might be the same as the ones for the bulkhead where it is fitted or different according to the color list.

This door may be also supplied as “gastight type” or “weathertight type”.


It is also valid for A-30, A-15 and A-0 classes.

DESCRIPTION	ISONELL P-60 DOOR
Class:	A-60 / A-30 / A-15 / A-0
Thickness:	50mm
Core material:	Mineral wool and calcium silicate
Covering:	Galvanized steel (with PVC) or stainless steel plating
Frame:	Inox o acero galv. lacado
Standard dimensions:	2200 x 1000mm
Approx. Weight:	80Kg
Options:	Hose pass-through and porthole with window


ISONELL ACCOMMODATION SYSTEMS




VIEW INSIDE



A - A



B-B



OPTIONS	12	WINDOW
	11	HOSE PORT
	MCA.	MATERIAL

DOOR COMPONENTS	10	NEOPRENE GASKET
	9	INTUMESCENT SEAL
	8	SILICATE
	7	HANDLE AND PLATE
	6	LOCK
	5	STAINLESS STEEL HINGE
	4	LEAF EDGE PROTECTION (STAINLESS STEEL)
	3	GALVANIZED STEEL SHEET (PAINTED OR PVC FINISHED)
	2	REINFORCEMENT (STEEL)
	1	GALVANIZED STEEL FRAME (STAINLESS STEEL OPTIONAL)
	MCA.	MATERIAL


M* - BY DEFAULT IT PLACE THE HANDLE HALFWAY UP THE DOOR.
IF REQUIRED ANOTHER HEIGHT, INDICATE THE DIMENSION "M" IN THE DOORS LIST.
CAUTION!! INDICATE THE DIMENSION FROM THE BOTTOM OF THE DOOR OPENING, NO FROM THE FLOOR.

ISONELL
SISTEMAS DE HABILITACIÓN NAVAL


DIBUJADO POR: *DRAWN BY:*	L. D.
REVISADO POR: *CHECKED BY:*	I. P.
APROBADO POR: *APPROVED BY:*	J. S.

TÍTULO: *TITLE:* **A60 | P60 DOOR**


OBRA: *WORK:*			ESCALA: *SCALE:* –
PARTIDA: *DEPARTURE:*	.		FECHA: *DATE:* 2015
PLANO Nº: *DRAWING Nº:*	.	REV: 0	HOJA: *SHEET:* 1 DE: *OF:* 1




VIEW INSIDE



A - A



B-B



OPTIONS	12	WINDOW
	MCA.	MATERIAL

DOOR COMPONENTS	10	NEOPRENE GASKET
	9	INTUMESCENT SEAL
	8	SILICATE
	7	HANDLE AND PLATE
	6	LOCK
	5	STAINLESS STEEL HINGE
	4	LEAF EDGE PROTECTION (STAINLESS STEEL)
	3	GALVANIZED STEEL SHEET (PAINTED OR PVC FINISHED)
	2	REINFORCEMENT (STEEL)
	1	GALVANIZED STEEL FRAME (STAINLESS STEEL OPTIONAL)
	MCA.	MATERIAL

M* - BY DEFAULT IT PLACE THE HANDLE HALFWAY UP THE DOOR.
IF REQUIRED ANOTHER HEIGHT, INDICATE THE DIMENSION "M" IN THE DOORS LIST.
CAUTION!! INDICATE THE DIMENSION FROM THE BOTTOM OF THE DOOR OPENING, NO FROM THE FLOOR.

ISONELL
SISTEMAS DE HABILITACIÓN NAVAL

DIBUJADO POR: *DRAWN BY:*	L. D.
REVISADO POR: *CHECKED BY:*	I. P.
APROBADO POR: *APPROVED BY:*	J. S.

TÍTULO: *TITLE:* **A60 | P60 DOOR** *(Gas light)*

OBRA: *WORK:*

ESCALA: *SCALE:* –


PARTIDA: *DEPARTURE:* .

FECHA: *DATE:* 2015


PLANO Nº: *DRAWING Nº:* .

REV: 0


HOJA: *SHEET:* 1 DE: *OF:* 1




VIEW INSIDE



A - A



B-B



OPTIONS	12	WINDOW
	MCA.	MATERIAL

DOOR COMPONENTS	10	NEOPRENE GASKET
	9	INTUMESCENT SEAL
	8	SILICATE
	7	HANDLE AND PLATE
	6	LOCK
	5	STAINLESS STEEL HINGE
	4	LEAF EDGE PROTECTION (STAINLESS STEEL)
	3	GALVANIZED STEEL SHEET (PAINTED OR PVC FINISHED)
	2	REINFORCEMENT (STEEL)
	1	GALVANIZED STEEL FRAME (STAINLESS STEEL OPTIONAL)
	MCA.	MATERIAL

M* - BY DEFAULT IT PLACE THE HANDLE HALFWAY UP THE DOOR.
IF REQUIRED ANOTHER HEIGHT, INDICATE THE DIMENSION "M" IN THE DOORS LIST.
CAUTION!! INDICATE THE DIMENSION FROM THE BOTTOM OF THE DOOR OPENING, NO FROM THE FLOOR.

ISONELL
SISTEMAS DE HABILITACIÓN NAVAL

DIBUJADO POR: *DRAWN BY:*	L. D.
REVISADO POR: *CHECKED BY:*	I. P.
APROBADO POR: *APPROVED BY:*	J. S.

TÍTULO: *TITLE:* **A60 | P60 DOOR (WeatherTight)**

OBRA: *WORK:*			ESCALA: *SCALE:* –
PARTIDA: *DEPARTURE:*	.		FECHA: *DATE:* 2015
PLANO Nº: *DRAWING Nº:*	.	REV: 0	HOJA: *SHEET:* 1 DE: *OF:* 1