



DOORS

TZS DOOR


The purpose of this door is to get the same class as the bulkhead where it has to be mounted, getting a B-15 class room or bulkhead.


The door is made up of a stainless steel or painted steel frame, by the leaf and its corresponding closing and hanging devices, stainless steel or chrome plated brass handle and lock, hinge and as an option, door closing device, louver, outlet panel, top-panel built-in in the frame, cylinders with actuator mechanism, etc.

Like the rest of the products, the available colors and finishes may be the same as the ones used for the bulkhead where it is mounted or different according to color chart.


DESCRIPTION	ISONELL TZ, B-15 DOOR
Class:	B-15
Acoustic insulation:	Rw= 28 / 31 dB
Thickness:	43mm
Core material:	Mineral wool
Covering:	Galvanized steel (with PVC covering) or stainless steel plating
Frame:	Stainless steelor lacquered galvanizes steel
Standard dimensions:	1875 x 880mm
Options:	Louver, outlet panel
Approx. weight:	50kg

ISONELL ACCOMMODATION SYSTEMS







A-A



B-B






OPTIONS		
	12	KICK-OUT PANEL
	11	PORTHOLE
	10	VENTILATION GRILL
	MCA.	MATERIAL


DOOR COMPONENTS		
	9	
	8	HANDLE AND PLATE
	7	LOCK
	6	STAINLESS STEEL HINGE
	5	LEAF EDGE PROTECTION (STAINLESS STEEL)
	4	GALVANIZED STEEL SHEET (PAINTED OR PVC FINISHED)
	3	REINFORCEMENT (STEEL)
	2	OUTER TRIM (L-PROFILE)
	1	GALVANIZED STEEL FRAME (STAINLESS STEEL OPTIONAL)
	MCA.	MATERIAL

M* - BY DEFAULT IT PLACE THE HANDLE HALFWAY UP THE DOOR.
IF REQUIRED ANOTHER HEIGHT, INDICATE THE DIMENSION "M" IN THE DOORS LIST.
CAUTION!! INDICATE THE DIMENSION FROM THE BOTTOM OF THE DOOR OPENING, NOT FROM THE FLOOR.


ISONELL
SISTEMAS DE HABILITACIÓN NAVAL

DIBUJADO POR: *DRAWN BY:*	J. S.	TÍTULO: *TITLE:*	B15 DOOR | *BS-01* STANDARD FRAME
REVISADO POR: *CHECKED BY:*	I. P.	TIPO: *TYPE:*	B15 CLASS DOORS
APROBADO POR: *APPROVED BY:*	J. S.	PARTIDA: *DEPARTURE:*	.
		PLANO Nº: *DRAWING Nº:*	.
		REV:	0
		ESCALA: *SCALE:*	–
		FECHA: *DATE:*	2013
		HOJA: *SHEET:* 1 DE: *OF:*	–







A-A



B-B





OPTIONS		
	12	KICK-OUT PANEL
	11	PORTHOLE
	10	VENTILATION GRILL
	MCA.	MATERIAL

DOOR COMPONENTS		
	9	
	8	HANDLE AND PLATE
	7	LOCK
	6	STAINLESS STEEL HINGE
	5	LEAF EDGE PROTECTION (STAINLESS STEEL)
	4	GALVANIZED STEEL SHEET (PAINTED OR PVC FINISHED)
	3	REINFORCEMENT (STEEL)
	2	OUTER TRIM (L-PROFILE)
	1	GALVANIZED STEEL FRAME (STAINLESS STEEL OPTIONAL)
	MCA.	MATERIAL

M* - BY DEFAULT IT PLACE THE HANDLE HALFWAY UP THE DOOR.
IF REQUIRED ANOTHER HEIGHT, INDICATE THE DIMENSION "M" IN THE DOORS LIST.
CAUTION!! INDICATE THE DIMENSION FROM THE BOTTOM OF THE DOOR OPENING, NOT FROM THE FLOOR.

ISONELL
SISTEMAS DE HABILITACIÓN NAVAL

DIBUJADO POR: *DRAWN BY:*	J. S.
REVISADO POR: *CHECKED BY:*	I. P.
APROBADO POR: *APPROVED BY:*	J. S.

TÍTULO: *TITLE:* B15 DOOR | *BS-02*
STANDARD FRAME OVER FLOOR

TIPO: *TYPE:* B15 CLASS DOORS

ESCALA: *SCALE:* –


PARTIDA: *DEPARTURE:* .


FECHA: *DATE:* 2013

PLANO Nº: *DRAWING Nº:* .


REV: 0

HOJA: *SHEET:* 1 DE: *OF:* –







A-A



B-B





OPTIONS	12	KICK-OUT PANEL
	11	PORTHOLE
	10	VENTILATION GRILL
	MCA.	MATERIAL

DOOR COMPONENTS	9	
	8	HANDLE AND PLATE
	7	LOCK
	6	STAINLESS STEEL HINGE
	5	LEAF EDGE PROTECTION (STAINLESS STEEL)
	4	GALVANIZED STEEL SHEET (PAINTED OR PVC FINISHED)
	3	REINFORCEMENT (STEEL)
	2	OUTER TRIM (L-PROFILE)
	1	GALVANIZED STEEL FRAME (STAINLESS STEEL OPTIONAL)
	MCA.	MATERIAL

M* - BY DEFAULT IT PLACE THE HANDLE HALFWAY UP THE DOOR.
IF REQUIRED ANOTHER HEIGHT, INDICATE THE DIMENSION "M" IN THE DOORS LIST.
CAUTION!! INDICATE THE DIMENSION FROM THE BOTTOM OF THE DOOR OPENING, NOT FROM THE FLOOR.

ISONELL
SISTEMAS DE HABILITACIÓN NAVAL

DIBUJADO POR: *DRAWN BY:*	J. S.
REVISADO POR: *CHECKED BY:*	I. P.
APROBADO POR: *APPROVED BY:*	J. S.

TÍTULO: *TITLE:* B15 DOOR | *BS-03*
ENTIRE PANEL FRAME (OVER FLOOR)

TIPO: *TYPE:* B15 CLASS DOORS

ESCALA: *SCALE:* –


PARTIDA: *DEPARTURE:* .


FECHA: *DATE:* 2013

PLANO Nº: *DRAWING Nº:* .


REV: 0

HOJA: *SHEET:* 1 DE: *OF:* –







A-A



B-B



STANDARD FRAME "T" PROFILE	BS-04	OPTIONAL FRAME "Z" PROFILE	☐ BS-04Z




OPTIONS	12	KICK-OUT PANEL
	11	PORTHOLE
	10	VENTILATION GRILL
	MCA.	MATERIAL


DOOR COMPONENTS	9	
	8	HANDLE AND PLATE
	7	LOCK
	6	STAINLESS STEEL HINGE
	5	LEAF EDGE PROTECTION (STAINLESS STEEL)
	4	GALVANIZED STEEL SHEET (PAINTED OR PVC FINISHED)
	3	REINFORCEMENT (STEEL)
	2	OUTER TRIM (L-PROFILE)
	1	GALVANIZED STEEL FRAME (STAINLESS STEEL OPTIONAL)
	MCA.	MATERIAL


M* - BY DEFAULT IT PLACE THE HANDLE HALFWAY UP THE DOOR.
IF REQUIRED ANOTHER HEIGHT, INDICATE THE DIMENSION "M" IN THE DOORS LIST.
CAUTION!! INDICATE THE DIMENSION FROM THE BOTTOM OF THE DOOR OPENING, NOT FROM THE FLOOR.


ISONELL
SISTEMAS DE HABILITACIÓN NAVAL


DIBUJADO POR: DRAWN BY:	J. S.	TÍTULO: TITLE:	B15 DOOR | BS–04 ENTIRE PANEL FRAME (WITH COAMING)
REVISADO POR: CHECKED BY:	I. P.	TIPO: TYPE:	B15 CLASS DOORS
APROBADO POR: APPROVED BY:	J. S.	ESCALA: SCALE:	–
PARTIDA: DEPARTURE:	.	FECHA: DATE:	2013
PLANO Nº: DRAWING Nº:	.	REV:	0
		HOJA: SHEET:	1 DE: OF: –












OPTIONS		
	11	KICK-OUT PANEL
	10	PORTHOLE
	9	VENTILATION GRILL
	MCA.	MATERIAL


DOOR COMPONENTS		
	8	HANDLE AND PLATE
	7	LOCK
	6	STAINLESS STEEL HINGE
	5	LEAF EDGE PROTECTION (STAINLESS STEEL)
	4	GALVANIZED STEEL SHEET (PAINTED OR PVC FINISHED)
	3	REINFORCEMENT (STEEL)
	2	OUTER TRIM (L-PROFILE)
	1	GALVANIZED STEEL FRAME (STAINLESS STEEL OPTIONAL)
	MCA.	MATERIAL

M* - BY DEFAULT IT PLACE THE HANDLE HALFWAY UP THE DOOR.
IF REQUIRED ANOTHER HEIGHT, INDICATE THE DIMENSION "M" IN THE DOORS LIST.
CAUTION!! INDICATE THE DIMENSION FROM THE BOTTOM OF THE DOOR OPENING, NOT FROM THE FLOOR.


ISONELL
SISTEMAS DE HABILITACIÓN NAVAL

DIBUJADO POR: *DRAWN BY:*	J. S.	TÍTULO: *TITLE:*	B15 DOOR | *BR-05* *FRAME OVER FLOOR*
REVISADO POR: *CHECKED BY:*	I. P.	TIPO: *TYPE:*	B15 CLASS DOORS
APROBADO POR: *APPROVED BY:*	J. S.	ESCALA: *SCALE:*	–
		PARTIDA: *DEPARTURE:*	.
		FECHA: *DATE:*	2013
		PLANO Nº: *DRAWING Nº:*	.
		REV:	0
		HOJA: *SHEET:*	1
		DE: *OF:*	1







A-A



B-B



STANDARD FRAME *"T" PROFILE* BR-06	OPTIONAL FRAME *"Z" PROFILE* ☐ BR-06Z



OPTIONS	11	KICK-OUT PANEL
	10	PORTHOLE
	9	VENTILATION GRILL
	MCA.	MATERIAL

DOOR COMPONENTS		
	8	HANDLE AND PLATE
	7	LOCK
	6	STAINLESS STEEL HINGE
	5	LEAF EDGE PROTECTION (STAINLESS STEEL)
	4	GALVANIZED STEEL SHEET (PAINTED OR PVC FINISHED)
	3	REINFORCEMENT (STEEL)
	2	OUTER TRIM (L-PROFILE)
	1	GALVANIZED STEEL FRAME (STAINLESS STEEL OPTIONAL)
	MCA.	MATERIAL

M* - BY DEFAULT IT PLACE THE HANDLE HALFWAY UP THE DOOR.
IF REQUIRED ANOTHER HEIGHT, INDICATE THE DIMENSION "M" IN THE DOORS LIST.
CAUTION!! INDICATE THE DIMENSION FROM THE BOTTOM OF THE DOOR OPENING, NOT FROM THE FLOOR.

ISONELL
SISTEMAS DE HABILITACIÓN NAVAL

DIBUJADO POR: *DRAWN BY:*	J. S.
REVISADO POR: *CHECKED BY:*	I. P.
APROBADO POR: *APPROVED BY:*	J. S.

TÍTULO: *TITLE:* B15 DOOR | *BR–06*
ENTIRE PANEL FRAME (OVER FLOOR)

TIPO: *TYPE:* B15 CLASS DOORS

ESCALA: *SCALE:* –

PARTIDA: *DEPARTURE:* .

FECHA: *DATE:* 2013

PLANO Nº: *DRAWING Nº:* .

REV: 0

HOJA: *SHEET:* 1 DE: *OF:* 1